

“ONLY FOR OFFICIAL USE”

1. No contents/terms of this rate contract shall be disclosed to any un-authorised person/persons.
2. The duly authorized Deptts., Institutions/Bodies can only make the purchase against this rate contract. This contract is neither meant for the use of private parties nor it can be put into personal use by any Government officer.
3. While making correspondence, the number and date of this rate contract may invariable be quoted.
- 4.

TELEGRAM-HIMSTORE SHIMLA TELEPHONE/FAX NO.2812613

Additional Controller of Stores,
Himachal Pradesh

Registered

RATE CONTRACT NO.4-IND/SP-3(M-28)53/2010 (39) DATED: 19.02.2011

To

1	M/s Krishna Steel Industries, Plot No 55, Industrial Area,Bilaspur,H.P Mobile No 94184-50845,01978-224245
2	M/s Kamal Industries,Ner-Chowk -175 021, Distt Mandi H.P Mobile No 98171-72383,01905-242383
3	M/s Saini Steel Industry,Bhojpur,Sunder Nager (H.P) 175002 Mobile No 94180-23847
4	M/s Zamindara Agro Industries Village & P.O Rajpura The, Nalagarh , Distt, Solan (H.P)-174101. 01795-223057
5	M/s Hari Om Udyog, Bhojpur, Sunder Nager (H.P) 175002 Mobile No 94181-63847
6	M/s Madhur Steel Furniture Udyog, Near Sultanpur, Industrial Area, Chamba (H.P) -176314 Phone No. 01899-222489
7	M/s Walia Steel Furniture & Agri Implements Inds, Kanaid,Tehsil Sunder Nager, Distt Mandi (H.P)Mobile No 94180-41515
8	M/s Walia Furniture Udyog V.P.O Kanaid Tehsil Sunder Nager, Distt Mandi (H.P) Mobile No 94180-42458
9	M/s Durga Engineering Works, M.C Hall, Nahan,Distt Sirmour(H.P) Mobile No 94180-64447
10	M/s Hari Om Steel Furniture Inds,Dadour, P.O Dhaban, Tehsil Sadar, Distt Mandi(H.P)Mobile No 94185-76443
11	M/s Sai Furniture Khadi Gramoudyog, Gurudwara Chowk,Bilaspur 174001 (H.P) Mobile No 94181-14740
12	M/s Furniture & Agro Solutions V.& P.O., Shambhuwala, Tehsil Nahan, Distt Sirmour (H.P) Mobile No 98163-57072
13	M/s Super Steel Fabricators, Near Palace, Chowgan,Nahan-173001 Mobile No 94180-22604,01702-225057
14	M/S Pamico Industries ,Sirat Road,Mohtli,,Distt ,Kangra (H.P)-176404 Phone No. 01893-244918

15	M/S Kumar Steel Products,G.T.Road,Channi,P.O,Damtal,Kangra, Distt,Kangra(H.P)Pin-176402 Mobile No.099881-73015
16	M/S Nishi & Brothers,Near ,Chowgan,Nahan,Distt,Sirmour-173001(H.P) Mobile No.98166-49677
17	M/S Nakshtra Industries,V & P.O. Jarja, Tehsil,Nahan,Distt,Sirmour(H.P) Mobile No.94180-89677 ,01702-222777.
18	M/s Jagjeewan Steel & Wooden Furniture Industries,V & P.O Gutkar,Distt,Mandi (H.P) Phone No.01905-246196.
19	M/S Sudershan Agro Industries,107/06, Krishana Nagar,Shimla(H.P) 171001 Mobile No. 98160-23024.
20	M/S Aar Kay Steel Industries,Parel,Chamba-176314(H.P.) Mob.-94180-25880 & Tel.No. 01899-224880

Subject:- Rate Contract for the supply of Agriculture Implements/Tools.

Validity: The validity of this rate contract will remain in force upto 30.09.2011.

Dear Sir,

In continuation to this office acceptance letter no. 4-IND/SP-2(M-28)49/2009 dated 27/12/2010, it is to inform you that your rates are approved in respect of the items detailed in the enclosed Schedule "A" on the terms and conditions specified therein as also in the Schedule "B" & "C".

Yours faithfully,

Sd/-

Additional Controller of Stores,
Himachal Pradesh.

On behalf of Governor of Himachal Pradesh

Encl: As above

Endst No : 4-IND/SP-3(M-28)53/2010 (39) DATED: 19.02.2011

Copy of the above is sent for information and necessary action to :-

1. All the Administrative Secretaries to the Govt. of H.P. Shimla-2.
2. All the Heads of the Departments/Managing Directors of the Corporations/Heads of Boards and Autonomous Bodies/Deputy Commissioners along with two spare copies.
3. All the Direct Demanding Officers in H.P.
4. Joint. Director of Industries (SP), Directorate of Industries, Supdt. Gr. 1/ Section Officer (F&A), Store Purchase Organisation, Shimla-1.
5. Statistical Asstt./Tender Section/Sample Assistant/Computer cell in the Store Purchase Organisation, Shimla-1.
6. P.A. to the Addl. Controller of Stores, H.P. Shimla-1

Sd/-

Additional Controller of Stores,
Himachal Pradesh

SCHEDULE – “A”

RATE CONTRACT

(ON ANNUAL RATE CONTRACT BASIS VALID UPTO 30-09-2011)

 SCHEDULE OF RATES TO RATE CONTRACT NO.4-IND/SP-3(M-28)53/2010(39)
 TENDER CODE NO.M-28 OPENED ON 09-12-2009 FOR THE SUPPLY OF :
 AGRICULTURE IMPLEMENTS/TOOLS.

ITEM CODE	DESCRIPTION/SPECIFICATION	RATE	UNIT
M2801001001	<p>Plough Bhangrotu type (Soil stirring) conforming to the designing or equivalent of Agricultural Engineer H.P.Department of Agriculture, H.P. Model 1986. Net weight with flat handle-8.000 kg. +-2% variation. Detailed specification for item code No. M-2801001001.</p> <p>1. Main body of the plough:</p> <p>The body of the plough made of 5mm thick sheet & its length should be 28 cms. & height 215mm. duly rivetted with one landside of M.S. Angle 35x35x6mm of 200mm. length supported with two supports for blade and board made of M.S. Angles 35x35x5mm, rivetted with main body of the plough.</p> <p>2. Standard:- One standard made of M.S. Flat of 35x10mm in 290mm. length should be revitted with main body of the plough. The holes should be made for U clamp.</p> <p>3. U Clamp: A U clamp made of M.S. Round 12mm in 30cms length, both ends be threaded and two nuts of 12mm provided with both ends of U clamp.</p> <p>4. Stay Strip:- A stay strip made of M.S. flat 25x5mm in 200mm length be provided with four holes adjusting the length beam.</p> <p>5. Board: The board made of 5mm thick sheet slighty covered in the centre. The Width of the board at top should be 20cms 14cms. in lower portion. The board should be bolted with counter sunk bolts and nut with supports rivited with main body of the plough. The length of the board from the centre be 17 cms.</p> <p>6. Blade: The blade should be made of high carbon sheet or rail of 6mm thickness and in triangular in shape. The upper portion of the blade should be 14cms. in width and 26cms. in length. The blade should be bolted with two counter-sunk bolts and nuts with supports revitted with main body of the plough.</p>		

7. Handle:

The handle made of M.S.Flat 35x8mm in 850mm in length, provided with one hole in the lower portion of the handle so as to fix the handle land-side and upper portion be provided with one conduit pipe grip of 32mm dia of 1.6mm thick and in 15cms. length., One ring should be provided with handle.

Total weight of S.S. Plough with handle approximately 8 kgs. (main plough 6 kgs. and handle 2 kgs.)with variation of +-2%. **Rs.450.00**

M2801001002 **Palam Plough (Animal Drawn)**

V-Shaped, Overall Length (without beam) 700mm, Width 200mm, Height 910mm, Weight (without beam) 7.5 Kg. Effective Width 180mm.

This Plough should be made of M.S plate of 8mm thick V-shape embedded with long shovel attached with handle. **Rs.450.00**

M2801001003 **S.S Plough (Soil Stirring plough**

(Bhangrotu Type) conforming to the desgning of Agricultural Engineer H.P. Department of Agriculture, H.P. Model 1986. Net weight with conduit pipe handle-6.70 kg +-2% variation.

Detailed specifications is as under:-

1. Standard:- The standard (Main body on which share blade and board are fixed) should be of Mild Steel flat of the size of 450x50x10mm curved at lower end, to fix the share blade and board on it.

2. Board:- The board should be made of M.S. Sheet 6mm thick slightly curved at the centre/middle. width of the board at the top and lower portion should be 210mm and 140mm respectively. The length of board at the centre should not be less than 150mm.

3. Share Blade:- The blade should be made of high carbon steel (0.90% carbon) or rolled railwayline. It should be triangular in shape with base width of 140mm, length at the centre should be 260mm and thickness 6mm.

4. Land side:- The land side should be made of M.S. Angle 37 x 37 x 5mm having length of 255mm.

5. Saddles:- Two saddles having sizes 120x75x6mm and 120x30 x 5mm respectively should be made of M.S. Flat and welded on the standard with 4mm electrodes. The share blade and board should be fixed on the standard by means of counter sunk bolts and nuts, 2 Nos. each on the welded saddles.

6. Stay strip:- A stay strip made of M.S. Flat 30x5mm

in 255mm length, should have four holes to link the standard and handle, thereby helping in adjusting the length of beam.

7. U-Clamps:- A U-clamp made of M.S. rounds 12mm dia having 255mm length, both ends be threaded and two nuts of 12mm provided with both ends of U-Clamp.

8.Handles:-

i) M.S. conduit Pipe Handle:- handle should be made of M.S. Conduit pipe having length one meter & dia 32mm of 16guage (1.63 thick). The upper portion of 150mm should be bent for gripping the handle. Lower portion should be pressed and welded to M.S. Flat 60 x 30 x 5mm. The handle should be fixed on the land side at rear end by means of Hexagonal bolt 25 x 8mm, five Nos, of holes of 12mm dia for fixing and adjusting the height of beam be provided at a height of 170mm from bottom end. The distance from centre to centre of the holes should be 25mm.

Weights of each components of Bhangrotu type S.S.Plough conforming to the designing of the Agricultural Engineer, H.P. Bhangrotu, Distt. Mandi and as per specification:-

Sr.No.	Name of the component.	Gross standard weight.
1.	Standard	1.755 kg.
2.	Board	1.232 kg.
3.	Share Blade	0.900 kg.
4.	Land side	0.885 kg.
5.	Saddles First	0.341 kg.
	Second	0.145 kg.
6.	Stay strip	0.300 kg.
7.	U-Clamp	0.227 kg.
8.	Nuts & Bolts	0.265 kg.

Gross weight of S.S.Plough
without handle 6.050 kg.

Wastage due to holes cuts & grinding of edges and sides of each component to give final finishes+- = 0.300 kg.

Net weight with variation of + - 2% 5.750 kg

9. Weight of M.S.Conduit pipe handle 1.000 kg.

Rs.397.50 Each

M2801002001 **Set of Hand Tools** (Agriculture 6 items each) Iron with wooden handles. **Rs.230.00 Each**

M2801003001 **Plough Shares** for soil sterring plough Model-1986, Deptt. of Agriculture, H.P. conforming to IS:6327-1971. **Rs. 58.00 Each**

M2801004001 **SINGLE ROW BAR HARROW** (BULLOCK DRAWN):-
Single Row Bar Harrow (Bullock

drawn) as per Model-85 Deptt. of Agriculture, H.P.

MAIN PARTS OF SINGLE ROW BAR HARROW ARE AS UNDER:-

1. Frame:- Frame should be made of standard M.S. angle iron of 50x50x6mm size and 85cms in length 9Nos. square holes of 16mm spaced at a distance of 10cms. from centre to centre be provided for fixing of pegs on the top from flange of the M.S. angle iron. The first and last hole should be at a distance of 2.5cms from the respective end.

2. Pegs:- 9 Nos. pegs of M.S. square of 16x16mm size should be at a distance of 10cms from the top end in such a way that the angle of peg in the front should be 160mm length of peg may be 30cms including the uniformly tapered portion, At the top the peg at least at a length of 20mm should be uniformly turned and threaded so as to fit a standard nut of 12mm size with suitable spring washer and lock trip.

The lower end of the peg should be uniformly tapered to a length of 8cms. Necessary provision may be made in the upper portion of the peg by welding piece of M.S. Round 6mm dia so as to provide obstruction to the peg for not passing through the square hole at the time of tightening the nut.

3. Hitching Arrangement:- Front hitch portion may be made of M.S. flat 35 x 6mm size having appropriate curvature and at least 4 Nos. holes of 10mm dia be provided with a bolt of 10x8mm (carriage bolt) so as to adjust the beam to the different heights of the bullocks as per requirements of the fields. Front hitch should be supported with 2 Nos. M.S. flat pieces of 30x6mm size being welded to the main frame of the harrow. Arrangement for fixing of 1 No. 100x8mm c-bolt with beam be made at the rear and by welding vertically 2 pieces of M.S. angles of 35x35x6mm of 2.5cms. length at a distance of 7.5cms. in the middle of frame.

4. Handle:- Single handle made of M.S. flat of 25x6mm and 80cms. in length. The bolts and nuts may be provided for fixing the handles. The grip of conduit pipe 30x120mm of 16 gauge should be welded to the top and of the handle arms.

Rs.996.93 Each

M2801006001 **Digging Hoe** Model of Deptt. of Agriculture H.P. Hand Digging hoe should be able to dig soil for preparation of seed bed for kitchen garden and has the following parts:-

1. Digging Blade.
2. Spikes.
3. Socket.
4. Handle.

1. Digging Blade:- It should be made of low carbon sheet of not less than 3.15mm thick, the width of the working blade should edge of the blade should be uniformly levelled. It should be supported by a M.S. square spike of 16mm

thickness from the bottom. The same should be welded with socket at one end and with blade at the bottom end.

2. Spikes:- One No. spikes of 16mm thickness and 10cms in length may be welded with the socket opposite to the blade.
3. Socket:- One socket made of M.S. Flat 26x5mm should be provided in which a spike is welded in each side.
4. Handle:- One handle made of seasoned bamboo 30 to 35mm in diameter and 90cms in length may be provided. All parts should be properly welded, finished and painted with the unwashable paints with handle. **Rs.60.00 Each**

M2801007001 Bullock Drawn Clod Breaker:

Specifications:

Type	Drag Type
Overall length,mm	2390
Width,mm	900
Height,mm	770
Weight, Kg.(with wooden planker)	10
Effective width of machine,mm	700
No. of blades	9-11
Blade concavity,mm	32
Material of blade	Leaf spring

Rs.650.00 Each

M2801012001 Tubular Maize sheller :

Suitability for crops : Maize.
Overall dimensions, mm :
Length : 70.
Width : 60.
(Diameter)
Weight, gm. : 200.
Number of teeth : 4 at
(Fins). equal space.
Space of the sheller : Octagonal.
Materials used : GI plate of
size 1.22 mm (18 gauge).

Rs.45.00 Each

M2801013001 SERRATED SICKLE.

Suitability for crops : Wheat,
Paddy, Grams etc.
Overall dimensions, mm :
*Length : 375.
*Width : 145.
*Height : 45.
*Weight, kg. : 0.20.
Length of blade,mm : 235.
Length of cutting edge mm 225.
Maximum width,mm : 28.
Maximum thickness,mm : 1.63.
Radius of curvature,mm : 230.
Number of teeth per cm.: 5.
Handle length, mm. : 140.
Handle diameter max.mm.: 32.
Materials used :
*Handle : Plastic/Wooden.

*Blade : Spring steel,
High carbon steel etc.

Rs.70.00 Each

M2801014001 **GARDENING HOE (SMALL) :**

Blade : It should be made of high carbon steel sheet of thickness 2mm. It should be beetle leaf shape The length of the blade should be 150mm and width near middle should be 50 mm.

Ferrule : It should be made of MS sheet 81.6mm. The length of eye should be 40 to 45 mm and dia 27mm.

Support : The ferrule should be welded to blade with the help of support of MS flat 20X5mm and 80 mm in length.

Rs.37.00 Each

M2801015001 **GARDENING HOE (MEDIUM) :**

Blade : It should be made of high carbon steel sheet of thickness 2mm. Its length should be 150mm and width near the top should be 115mm.

Ferrule : It should be made of MS sheet 1.6mm. The length of eye should be 40 to 45 mm and dia 27mm.

Support : The ferrule should be welded to blade with the help of support of MS flat 20X5mm and 80 mm in length.

Rs.42.00 Each

M2801017001 **Self-Propelled Reaper.**

Specifications:

Type	Walking type
Power source	Engine
Overall length,mm	2370
Width,mm	1220
Height,mm	1060
Total Weight of machine, Kg.	193.5
Weight of reaper,Kg.	200-220
Lenght of cutter bar,mm	1000-1200
Transmission System	Belt & Pully

Machine for harvesting of wheat crop.
and equipped with engine.

Rs.700.00 Each

M2801018001 **Manual Rice Transplanter**

Specifications:

Type	Pull type
Power source	Manual
Overall length,mm	1340
Width,mm	1460
Height,mm	940
Weight, Kg.	25

Rated width, mm	1200
Number of rows	6
Row spacing, mm	200
Transplanting System	Finger type

The machine should be light in weight, so that it can be successfully operated by a person.

Rs.850.00 Each

M2801018002 Manual Rice Transplanter

Specifications:

Type	Pull type
Power source	Manual
Overall length,mm	1000
Width,mm	1000
Height,mm	1040
Weight, Kg.	17.5
Rated width, mm	800
Number of rows	4
Row spacing, mm	200
Transplanting System	Finger type

The machine should be light in weight, so that it can be successfully operated by a person.

Rs.850.00 Each

M2801019001 Maize Sheller

Specifications:

Type	Vertical
Power source	Manual
Overall length,mm	400
Width,mm	320
Height,mm	400
Weight, Kg.	2.8
Shelling Mechanism	Fins type
Actual Shelling Capacity, Kg/h	17

The sheller should be made of M.S strip in cylindrical shape mounted on horizontal and vertical shafts, by rotating the shafts the cobs inserted inside and shelled out. **Rs.225.00 Each**

M2801019002 Maize Sheller

Specifications:

Type	Horizontal
Power source	Manual
Overall length,mm	370
Width,mm	180
Height,mm	340
Weight, Kg.	1.85
Shelling Mechanism	Fins type
Actual Shelling Capacity, Kg/h	15

The sheller should be made of M.S strip in cylindrical shape mounted on horizontal and vertical shafts, by rotating the shafts the cobs inserted inside and shelled out. **Rs.190.00 Each**

M2801020001 **Paddy Thresher**

Specifications:

Power source	Power Operated
Overall dimension,mm length	1140
Width	680
Height	1260
Cylinder dimension,mm	
Drum type	Loop
Diameter	550
Length	830
Weight Kg.	82
Threshing Capacity, q/h	1.5

M.S sheet having a drum on which loops/pegs should be made for threshing.Gear mechanism & pully arrangement be fitted for supply power from motor/pedal to the threshing drum. **Rs.2400.00 Each**

M2801020002 **Paddy Thresher**

Specifications:

Power source	Pedal Operated
Overall dimension,mm length	700
Width	500
Height	630
Cylinder dimension,mm	
Drum type	Peg
Diameter	380
Length	295
Weight Kg.	30
Threshing Capacity, q/h	0.40

M.S sheet having a drum on which loops/pegs should be made for threshing.Gear mechanism & pully arrangement be fitted for supply power from motor/pedal to the threshing drum. **Rs.1500.00 Each**

M2801020003 **Paddy Thresher**

Specifications:

Power source	Handle Operated (with fan)
Overall dimension,mm length	1060
Width	830
Height	1330
Cylinder dimension,mm	
Drum type	Loop
Diameter	500
Length	380
Weight Kg.	30
Threshing Capacity, q/h	0.40

M.S sheet having a drum on which loops/pegs should be made for threshing.Gear mechanism & pully arrangement be fitted for supply power from motor/pedal to the threshing drum. **Rs.1400.00 Each**

Note:

Details regarding items approved in respect of each given below:-

- 1. M/s Krishna Steel Industries, Plot No 55, Industrial Area,Bilaspur,H.P**
Mobile No 94184-50845,01978-224245
Rates approved for items Code number M-2801001001, M-2801001002, M-2801001003, M-2801002001, M-2801003001, M-2801006001, M-2801007001, M-2801012001, M-2801013001, M-2801014001, M-2801015001, M-2801017001, M-2801018001, M-2801018002, M-2801019001, M-2801019002, M-2801020001, M-2801020002 & M-2801020003.
- 2 M/s Kamal Industries, Ner-Chowk -175 021, Distt Mandi H.P**
Mobile No 98171-72383,01905-242383
Rates approved for items Code number-M-2801001001, M-2801001003, M-2801003001, M-2801004001, M-2801012001, M-2801013001, M-2801014001, M-2801015001, M-2801020001,M-2801020002 & M-2801020003.
- 3 M/s Saini Steel Industry,Bhojpur,Sunder Nager (H.P) 175002**
Mobile No 94180-23847
Rates approved for items Code number M-2801001001, M-2801001003, M-2801002001, M-2801003001, M-2801004001, M-2801012001, M-2801013001, M-2801014001 & M-2801015001.
- 4 M/s Zamindara Agro Industries, Village & P.O Rajpura Tehsil, Nalagarh , Distt, Solan (H.P)-174101. 01795-223057**
Rates approved for items Code number M-2801001001, M-2801001002, M-2801001003, M-2801002001, M-2801003001, M-2801004001 M-2801006001, M-2801007001, M-2801012001, M-2801013001, M-2801014001, M-2801015001, M-2801020002 & M-2801020003.
- 5 M/s Hari Om Udyog, Bhojpur, Sunder Nager (H.P) 175002**
Mobile No 94181-63847
Rates approved for items Code number M-2801001001, M-2801001003, M-2801004001, M-2801012001, M-2801013001, M-2801014001 & M-2801015001.
- 6. M/s Madhur Steel Furniture Udyog, Near Sultanpur, Industrial Area, Chamba (H.P) -176314 Phone No. 01899-222489.**
Rates approved for items Code number M-2801001001, M-2801001003, M-2801002001 & M-2801003001.
- 7 M/s Walia Steel Furniture & Agri Implements Inds,Kanaid,Tehsil Sunder Nager, Distt Mandi (H.P) Mobile No 94180-41515**
Rates approved for items Code number M-2801001001, M-2801001002, M-2801001003, M-2801002001, M-2801003001, M-2801004001,M-2801006001, M-2801012001, M-2801013001, M-2801014001, & M-2801015001.

8 M/s Walia Furniture Udyog V.P.O Kanaid Tehsil Sunder Nager Distt Mandi (H.P) Mobile No 94180-42458

Rates approved for items Code number M-2801001001, M-2801001002, M-2801001003, M-2801002001, M-2801003001, M-2801004001, M-2801006001, M-2801013001, M-2801014001 & M-2801015001.

9 M/s Durga Engineering Works M.C Hall Nahan,Distt Sirmour(H.P) Mobile No 94180-64447

Rates approved for items Code number M-2801001001, M-2801001002, M-2801001003, M-2801002001, M-2801003001, M-2801004001, M-2801006001, M-2801007001, M-2801012001, M-2801013001, M-2801014001, M-2801015001, M-2801017001, M-2801018001, M-2801018002, M-2801019001 & M-2801019002.

10 M/s Hari Om Steel Furniture Inds,Dadour, P.O Dhaban Tehsil Sadar, Distt Mandi(H.P) Mobile No 94185-76443

Rates approved for items Code number M-2801001001, M-2801001003, M-2801003001, M-2801004001, M-2801007001, M-2801012001, M-2801013001, M-2801014001, M-2801015001, M-2801017001, M-2801018001, M-2801018002, M-2801019001, M-2801019002, M-2801020001, M-2801020002 & M-2801020003.

11 M/s Sai Furniture Khadi Gramoudyog, Gurudwara Chowk, Bilaspur-174001 (H.P) Mobile No 94181-14740.

Rates approved for items Code number M-2801001001, M-2801001002, M-2801001003, M-2801002001, M-2801003001, M-2801004001, M-2801006001, M-2801007001, M-2801012001, M-2801013001, M-2801014001, M-2801015001, M-2801017001, M-2801018001, M-2801018002, M-2801019001, M-2801019002, M-2801020001, M-2801020002 & M-2801020003.

12. M/s Furniture & Agro Solutions, V.& P.O Shambhuwala Tehsil Nahan, Distt Sirmour (H.P) Mobile No 98163-570.

Rates approved for items Code number M-2801001001,, M-2801002001, M-2801003001, M-2801004001, M-2801012001, M-2801013001, M-2801014001, M-2801015001.

13 M/s Super Steel Fabricotrs,Near Palace, Chowgan,Nahan-173001 Mobile No 94180-22604,01702-225057

Rates approved for items Code number M-2801001001, M-2801001003, M-2801002001, M-2801003001, M-2801004001, M-2801012001, M-2801013001, M-2801014001, M-2801015001.

14 M/S Pamico Industries ,Sirat Road,Mohtli,,Distt ,Kangra (H.P)-176404 Phone No. 01893-244918

Rates approved for items Code number M-2801001001, M-2801001003, M-2801002001, M-2801003001, M-2801004001, M-2801006001, M-2801012001, M-2801013001, M-2801014001, M-2801015001, M-2801019001 & M-2801019002.

15 M/S Kumar Steel Products, G.T. Road,Channi,P.O,Damtal, Kangra,Distt, Kangra (H.P) Pin-176402 Mobile No.099881-73015

Rates approved for items Code number M-2801001001, M-2801001003, M-2801002001, M-2801003001, M-2801004001, M-2801006001, M-2801012001, M-2801013001, M-2801014001, M-2801015001, M-2801019001 & M-2801019002.

16 M/S Nishi & Brothers, Near ,Chowgan,Nahan,Distt,Sirmour-173001(H.P) Mobile No.98166-49677

Rates approved for items Code number M-2801001001, M-2801001003, M-2801003001, M-2801004001, M-2801006001, M-2801012001, M-2801013001 & M-2801014001

17 M/S Nakshtra Industries, V & P.O. Jarja,Tehsil,Nahan,Distt,Sirmour(H.P) Mobile No.94180-89677 ,01702-222777.

Rates approved for items Code number M-2801001001, M-2801001003, M-2801003001, M-2801004001, M-2801006001, M-2801012001, M-2801013001 & M-2801014001.

18 M/s Jagjeewan Steel & Wooden Furniture Industries,V & P.O Gutkar,Distt,Mandi (H.P) Phone No.01905-246196.

Rates approved for items Code number M-2801001001, M-2801001002, M-2801001003, M-2801002001,M-2801003001 & M-2801004001.

19 M/S Sudershan Agro Industries,107/06, Krishana Nagar,Shimla(H.P) 171001 Mobile No. 98160-23024.

Rates approved for items Code number M-2801001001, M-2801001003, M-2801003001, M-2801004001, M-2801006001, M-2801012001, M-2801013001, M-2801014001 & 2801015001.

20. M/S Aar Kay Steel Industries,Parel,Chamba-176314(H.P.) Mob.-94180-25880 & Tel.No. 01899-224880

Rates approved for items Code number M-2801001001, M-2801001003, M-2801002001, M-2801003001, M-2801004001 & M-2801006001.

TERMS AND CONDITIONS:-

1. The above rates are F.O.R. destination in Himachal Pradesh F.O.R.for Kinnaur, Lahaul & Spiti and Pangti is upto Reckong Peo, Manali & Chamba respectively.
2. 100% payment will be made within 21 days against physical delivery of inspected/accepted stores duly supported with satisfactory inspection note and after receipt of correct goods at consignees site/destination.

3. The goods will be inspected before dispatch by the consignee or his authorised representative and the inspecting officer will in his inspection note certify that the same are as per approved specifications laid down against each item except for the items Nos.
4. The delivery of the material will be made within 45 days from the date of receipt of supply order.
5. The above rates have been approved keeping in view the fact that the unit is a small scale industrial unit and as such the material supplied shall be manufactured in the unit itself and not arranged from outside Himachal Pradesh or any other source otherwise it will constitute a breach of rate contract.
6. The payment will be made as per actual weight within tolerance limit of + _ 2%.
7. VAT will be charged as & if applicable.
8. The other conditions as mentioned in the enclosed Schedule "C".

Sd/-
Additional Controller of Stores,
Himachal Pradesh.